

REPLACEMENT PARTS CATALOGUE

FOR

1976 MODELS
BONNEVILLE 750
TIGER 750

FROM ENGINE 62501

PART NO. 99-2257











01527 454158 sales@classicbikeshop.co.uk www.classicbikeshop.co.uk

Classic Motorcycle Parts for BSA, Triumph, Norton, AMC, Matchless and More.

Spares include Exhausts, Silencers, British and Custom Seats, Brake and Wheel Components, Lucas Equipment, Cafe Racer Parts, Engine and Frame Parts and thousands more items.



Classic Bike Shop Ltd is a long established business with its roots dating back to the 1950's. Based in Redditch Worcestershire. We provide an online mail order service supplying classic motorcycle parts directly to customers both locally and worldwide. We have an extensive range of classic bike parts and spares for Triumph, BSA, Norton, AMC, Matchless models and other vintage bikes. We also have a section on the website for cafe racers, bobbers and custom bikes if you are looking for something a little different to get that unique look.



























PARTS INQUIRY FORM

If we do not have the parts you are looking for on our website please Email your inquiry form to sales@classicbikeshop.co.uk (Please note we will try our very best to get back to you as soon as we can, but some inquiries may take longer then others.)

	Customer Information
Name:	
Phone Number:	
Email:	

Part Number	Description	Qty



REPLACEMENT PARTS CATALOGUE 1976 BONNEVILLE 750 T140V TIGER 750 TR7RV

INTRODUCTION

ENGINE AND FRAME NUMBERS

The engine number is located on the left side of the engine, immediately below the cylinder barrel to crankcase flange.

The frame number is located on the left side of the frame headlug, beneath the fork top lug and forward of the gasoline tank.

Both the engine and frame number should be quoted in full in any correspondence relating to the machine.


(c)

COPYRIGHT

All rights reserved. No part of this publication may be reproduced without permission.

INDEX

Page	Page
AIR CLEANER 64	KICKSTARTER 37
0.44	
The second of th	
AUTO-ADVANCE UNIT 31	MANIFOLD 17
	MOTOR PLATES 47
BATTERY CARRIER 80	MOTOR TORQUE STAY 47
BRAKE SWITCH 45	MUFFLERS 49
BREATHER PIPES 43	
DICENTIES	OIL PUMP 15
	011 01050
CAMSHAFT, INLET AND EXHAUST 9	
CARBURETOR 27, 29	OIL PRESSURE RELEASE VALVE 15
CENTRE STAND 43	
CHAINS: 41	PISTONS 9
CHAINCASE 41	PROP STAND
GLUTCH 39	PUSH RODS 19, 21, 23, 25
CLUTCH LEVER ASSEMBLY 37	
78	60
CONDENSEDS 78	KEAK WHEEL
	RECTIFIER 78
CONTROL RODS	' ROCKERS 19, 21, 23, 25
CONTACT BREAKER 31	
	SIDE PANEL 64
CONTROL LEVERS 70	SPARK PLUG 78
CRANKCASE 11, 13	SPEEDOMETER 76
CRANKSHAFT 9	SPEEDOMETER GEARBOX 60
CYLINDERS 19, 21, 23, 25	
CYLINDER HEAD 19, 21, 23, 25	3031 21131011 011110
SWILLIST BIRSS	SWITCHES 45, 70
EXHAUST PIPES 49	
	TABLE OF STANDARD HARDWARE 82 83
FENDERS 66	TACHOMETER 76
STACHED CO.	TACHOMETER GEARBOX 76
FOOTBEETS 47	TAIL LAMP 68
ED AME	TAPPETS 17
FRONT BRAKE	TIMING GEARS 9
FRONT BRAKE 57	TOOLKIT 74
FRONT FORKS 51,53	TWIN SEAT 62
FRONT WHEEL 55	144114 3EA1 02
GAS TANK 62	VALVES 19, 21, 23, 25
<u></u>	VALVE GUIDES 19, 21, 23, 25
GEARBOX 33, 35, 37	
	MODING HARNIESS
HANDLEBAR 70	WIRING HARNESS 80
HEADLAMP 80	
T. C.	ZENER DIODE 78
HORN 78	LLITER OFFICE III



1976 T140V

BONNEVILLE 750 (TI40V), TIGER 750 (TR7RV) TECHNICAL DATA

		TR7RV	T140V
Compression ratio	 	8-25 : 1	8.25 : 1
Spark plugs	 	Champion N3	Champion N3
Carburetor	 	Amal Concentric 930	2 Amal Concentric 930
	Main jet	280	210
	Needle jet	·106	-106
	Throttle valve	No. 31	No. 3
Gearbox sprocket	 	20 teeth	20 teeth
Chains	 Front	a Triplex x 84 links	를 Triplex x 84 links
	Rear	동" x 訁" x 107 links	5″ x 3″ x 107 links
Capacities	 Gas Tank	3.6 U.S. galls.	3-6 U.S. galls.
	Oil-Tank	4-8 U.S. pints	4-8 U.S. pints
	Gearbox	7 pint (500 c.c.)	2 pint (500 c.c.)
	Primary Chaincase	1 pint (150 c.c.)	4 pint (150 c.c.)
	Front Forks (each leg)	1 pint (190 c.c.)	$\frac{1}{3}$ pint (190 c.c.)
Tire size	 Front	3·25 x 19	3·25 x 19
	Rear	4·00 x 18	4·00 × 18

HOW TO USE THIS SPARE PARTS CATALOG

First consult the index on Page 3 for the parts or group of parts which you wish to locate. When you have located the parts make sure from the end columns that the part you have located does apply to your machine.

List the quantities required as single units; do not ask for "2 pairs" or "3 dozen".

In case of painted items always state the color required. Painted parts are available only in the colors or alternatives specified for that model of that particular year.

PLEASE NOTE

THROUGHOUT THIS LIST, ASSEMBLIES ARE PRINTED IN CAPITALS AND THE COMPONENTS INCLUDED IN THAT ASSEMBLY ARE INDENTED IN THE DESCRIPTION COLUMN, REVERTING TO THE ORIGINAL ALIGNMENT WHEN THE ASSEMBLY IS COMPLETE. TO ORDER THE COMPLETE ASSEMBLY IT IS NECESSARY ONLY TO QUOTE THE ASSEMBLY NUMBER. ANY COMPONENT PARTS LISTED MAY ALSO BE OBTAINED SEPARATELY IF REQUIRED.

SPECIAL WORKSHOP TOOLS

A COMPLETE LIST OF WORKSHOP TOOLS CAN BE MADE AVAILABLE BY EITHER CONTACTING YOUR DEALER OR APPLYING DIRECT TO THE TRIUMPH SERVICE DEPARTMENT. IN MOST CASES THESE TOOLS ARE VERY COSTLY AS THEY ARE MADE ENTIRELY FOR WORKSHOP USE, AND THEREFORE, IT IS NOT RECOMMENDED THAT THE PRIVATE OWNER PURCHASES THE TOOLS IN ORDER TO AID SERVICING THE MACHINE ONCE OR TWICE ONLY. IN THESE CIRCUMSTANCES IT IS FAR MORE ECONOMICAL TO GET IN TOUCH WITH A RECOGNISED DEALER.

UNIFIED THREAD FORM

NEW PARTS HAVING THREADED FIXINGS INTRODUCED IN THIS CATALOG HAVE THE UNIFIED FORM OF SCREW THREADS. THIS CHANGEOVER WILL BE CONTINUED AS AND WHEN NEW PARTS ARE INTRODUCED. EVEN WHERE PARTS ARE SIMILAR IN APPEARANCE NEW PART NUMBERS WILL BE ALLOCATED TO IDENTIFY THE UNIFIED THREADS. ALL NUTS; BOLTS AND STUDS HAVING THIS THREAD ARE IDENTIFIED BY MARKINGS. BOLTS HAVE A CIRCULAR RECESS IN THEIR HEADS, STUDS A CIRCULAR GROOVE ON THE END, AND NUTS HAVE INTERLOCKING CIRCLES ON THE SIDE.

NOTES

OVERSIZE PISTO	NS AND RING	S	
	Piston assembly	+ 0.010	71-3686
	Compression ring	+ 0.010	71-3691
	Scraper ring	+ 0.010	71-3696
	Piston assembly	+ 0.020	71-3687
	Compression ring	+ 0.020	71-3692
	Scraper ring	+ 0.020	71-3697
	Piston assembly	+ 0.040	71-3689
	Compression ring	+ 0.040	71-3694
	Scraper ring	+ 0.040	71-3699
PISTON RING SE	тs		
	Ring set—76mm	Std.	99-3789
	Ring set—76mm	+ 0.010	99-3790
	Ring set—76mm	+ 0.020	99-3791
	* Ring set—76mm	+0.040	99-3792
VALVE GUIDE SE	T S		
	Valve guide set	Std.	99-3793
	Valve guide set	+0.002	99-3794
	Valve guide set	+ 0.004	99-3795
	Valve guide set	+ 0.006	99-3796
GASKET SETS			
	Decoke		99-3022
	Overhaul		99-3023





Fig. 1. CRANKSHAFT AND CONNECTING RODS

CRANKSHAFT AND CONNECTING RODS


1	71-3674	CRANKSHAFT AN				1BLY		111	1
2.	7137.98	Crankshaft	C/W.	OIL T	JBE				1
3	70-3903	Oil tube							1
4	71-2800	Screwed pl	ug						1
5	71-2 4 25	Flywheel							1
6	*71-3552	Flywheel bolt							3
7	71-1003	Washer							3
8	21-2183	Crankshaft stud		O.A.)					1
9	71-3006	CONNECTING RO	D		***				2
10	. 70-9914	Connecting rod	bolt						4
11	60-3761	Self locking nut					4.4		4
12	70-3586	Big end bearing (Av	ailable ii	n01	0 in. ar	id0	20 in. ι	ındersi	zes) 4
13	71–3676	PISTON COMPLET	Ε						2
14	71-3690	Taper compress	ion ring						4
15	71-3695	Oil control ring							2
16	71-3354	Gudgeon pin							2
17	71–3700	Circlip							4
18	60-4167	Main bearing, right		'					1
19	71-35 4 2	Motor sprocket, 29	teeth Tr	iplex					1
20	71-3544	Distance piece							1
21	71-0082	Rotor key							1
22	54213901	Rotor (99-0739)							1
23	70-3975	Tab washer							1
24	21-2182	Nut							1
25	70-1580	Key							1
26	70-4564	Timing pinion							1
27	71-2877	Nut							1
28	70-6159	INTERMEDIATE WI	HEEL						1
29	70-0400	Intermediate wh	neel bus	h					1
30	71-3666	Camshaft pinion						111	2
31	70-1558	Camshaft key							2
32	71–1007	Inlet camshaft nut							1
33	70-6523	Exhaust camshaft nu	t						1
34	71-3011	Inlet camshaft							1
35	71-3010	EXHAUST CAMSHA	AFT .						i
36	70-9?88	Tachometer driv							1
37	70-3300	Clamping washer		411					1
38	70-2879	Main bearing, left							1
Not illus.	71-2663	Spacer)						1
Not illus.	70-8038	Shim (0-010 in.)	E		procke				As required (up to 4)
Not illus.	71-2660	Shim (0.030 in.)							As required (up to 4)
		(/)						ra required (up to 4)

*Use 60-0524 Lectite Sealant



CRANKCASE

		* 12000000000000000000000000000000000000	
1	♣ 71~7001	CRANKCASE DRIVE SIDE 1	
2	71-0287	Camshaft bush 1	
3	71-0287	Camshaft bush 1	
4	70-5088	Chain tensioner abutment 1	
5	* 71~7002	CRANKCASE TIMING SIDE 1	
6	71-0286	Camshaft bush 2	
7	70-4538	Scavenge pipe Reference only	
8	70-6386	Locating peg (at oil pipes) Reference only	
9	57-0989	Hollow dowel 2	
10	57-0912	Locating peg (L'S at thrust washer) 1	
_11	57–1606	Needle roller bearing, layshaft 1	
12	70-0375	Intermediate wheel spindle 1	
13	70-8751	Hollow dowel 1	
14	14-1445	Stud 1	
15	60-4246	Plain washer 2	
16	14-0303	Nut 1	
17	70–1532	Hollow dowel, tappet oil feed 2	
18	70-9330	Oilway plug 1	
19	82-1880	Copper washer 1	
20	21-1871	Tachometer drive plug (L.H. thread) 1	
21	70-8896	Fibre washer 2	
22	21-1863	Oil pipe stud 1	
23	21-1865	Cylinder stude 4	
23	71-3013	Cylinder stud 4	
24	21-1872	Plug, timing hole 1	
25	21-1870	Bolt 1	
26	14-6220	Bolt 1	
27	14-6223	Bolt 1	
28	14-0230	Bolt 1	
29	21-1823	Bolt 2	
30	60-2330	Plain washer 10	
31	14–1302	Nut 5	
32	70–9336	Crankcase filter 1	
33	70-8782	Joint washer 1	
34	57–2167	Drain plug (with level tube)	
35	57-1257	Fibre washer 1	
36	21-0543	Level plug 1	
37	70-2441	Copper washer 1	
38	57-2259	Drain and adjuster plug 1	
39	70-6299	"O" ring 1	
40	57-1920	Blanking plug Reference only	
41	57-2166	Filler plug 2	
42	70-8782	"O" ring 2	
43	14-6242	Bolt 1	
44	21-0669	Stud 1	
45	70-7573	Rubber plug 1	
46	14-0402	Nut, exhaust ties 2	
47	71–1072	Breather cover plate assembly 1	,
48	711075	Screw 1	
*	71~7004	CRANKCASE ASSY. TS / DS 1	



Ref. No.	Part No.	DESCRIPTION	QUANTITY REMARKS
		CRANKCASE (continued)	
49	,71-4044	Outlet stub	1
50	71-1460	, Joint washer	1
51	71-1077	Screw	2
52	71-3174	Tube, primary chain oiler	1
53	71-3175	Clip	1
54	60-4250	Spring washer	1
55	14-0101	Bolt (7 in. U.H.)	1
56	71-1345	Grommet, alternator leads-external	1




Fig. 3. OIL PUMP AND RELEASE VALVE

OIL PUMP AND RELEASE VALVE

1	70-9421	OIL PUMP							 	1
2	Reference only	Pump body	y						 	1
3	70-9269	Feed plung							 	1
4	70-6681	Scavenger		er		4.74			 	1
5	70-0495	Drive bloc			1.77				 	1
6	60-2363	Valve ball	(7 in.	dia.)				,	 	2
7	70-0403	Valve sprir							 	2
8	70-2360	Screwed pl	-				,		 	2
9	71-3910	Joint washer							 	1
10	21-1864	Oil pump stud			11.7	1.1			 	2
11	70-3887	Serrated washe	r						 41.1	2
12	21-1906	Nut			***	, ,			 	2
13	71-3447.	OIL PRESSURE	RELI	EASE	VALVE				 	1
14	70-7590	Body							 	Reference only
15	70-8752	Piston							 	1
16	70-7591	Spring							 	1
17	70-6596	Cap							 	1
18	70-8754	Joint wash	er (cap	to be	ody)					1
19	70-1670	Joint washer							 	1




Fig. 4. MANIFOLD AND TAPPETS

MANIFOLD AND TAPPETS

1	71-3556	Inlet manifold							1)	
2	70-5660	Joint washer							2	
3	21-1876	Stud							4	
4	60-4248	Washer > Manifold to h	nead						4	
5	21-1877	Nut .							4 >	TR7RV
6	21-1996	Stud)						2	
7	70-9554	Insulating ring							2	
8	70-9555	Cup		Carb	uretto	r to m	anifold		2	
9	14-1301	Nut							2	
10	71-3339	Inlet manifold-L.H							1	
11	71-3338	Inlet manifold-R.H							1	
12	71-2813	Stud)						4	
13	71-3573	Joint washer							2	
14	70-9554	Insulating ring	}	Carbur	ettor	o man	ifold		4	
15	70-9555	Cup		and he	ad				4 >	T140V
16	14-1301	Nut							4	
17	71-3313	Connector							2	
18	71-3577	Connector pipe							1	
19	83-4898	Bracket-Air control lever	r						1	
20	21-1903	Screw							1	
21	70-9352	Inlet tappet guide block							1	
22	70-9353	Exhaust tappet guide block	k						1	
23	70-7563	'O' ring							2	
24	97-0200	Set bolt							2	
25	70-2 44 1	Washer			1 - 4				2	
27		1.1							2	
26	71~7008	inlet tappet	414					4 6 4	2	
27	71⊶7008 70–8801 _	Inlet tappet Exhaust tappet							2	




Fig. 5. CYLINDER BLOCK AND HEAD, TR7RV

CYLINDER BLOCK AND HEAD TR7RV

1	70-6309	Cylinder base washer								1
2	71-4005	Cylinder block								1
3	21-2177	Cylinder base nut								4
4	70-3446	Washer								4
5	21-0692	Cylinder base nut (12	point)							4
6	71-3329	Push rod cover tube								2
7	71-3330	Push rod								4
8	71-1707	Sleeve)			1.11			2
9	70 -4 752	Sealing ring			Cover t	ubes				2
10	70-7310	'O' ring—bottom								2
11	71–1283	'O' ring—top		J						2
12	71–3681	Cylinder head gasket					,			1
13		YOCYLINDER HEAD			***					1
14	71-3294	Inlet valve guide								2
15	71-3295	Exhaust valve gui	ide							2
16	70-4603	Inlet valve							* * *	2
17	70–2904	Exhaust valve					411			2
18	71-3296	Bottom cup								4
19	70-4221	Inner valve spring		r = 1				441	1 * *	4
20	70–7400	Outer valve spring					11.7			4
21	70–1543	Top collar		416						4
22	99–0062	Split cotter								8
23	21-2201	Stud—cylinder head		4.4.4						4
24	21-2200	Stud—cylinder head	(16 in.)							2
25	21-2204	Socket nut (3/8 in.)	***							4
26	21–2205	Socket nut (5/16in.)	1		***					2
27	71–3553	Bridge plate	4.4.4							1
28	82-2184	Washer		-,-			111			8
29	14-0241	Bolt—cylinder head			***					4
30	14-1401	Stud—rocker box								6
31	70-3302	Washer								6
32	14-0301	Nut								4
34	21–2206	Bolt—rocker box								4
35	21–1875 60–42 4 8	Bolt—rocker box		,						4
36	21–2197	Washer								2
37	37-2338	Stud			Tone					2
38	60–2331	Distance piece		>		ie stay				2
39	14–1303	Washer	***		***					2
40	71–2599	Nut		J	***					2
41		Rocker box gasket								1
42	71–3668 71–3669	Inlet rocker box Exhaust rocker box								1
43	71–3671		wor						1.41	2
44	71–3673	Tappet inspection co								2
45	71–3549	Gasket Rocker spindle								2
46	60–3548	'								2
40	00-3340	Sealing ring				1.11	1.1.4			~




Fig. 6. CYLINDER BLOCK AND HEAD, TR7RV

CYLINDER BLOCK AND HEAD, TR7RV (continued)

47	70-1 4 57	Rocker (right exhaust,	left	inlet)			 	 2
48	70-1458	Rocker (left exhaust, ri	ght	inlet)		- 4 -	 	 2
49	71-0070	Ball pin					 	 4
50	70-1513	Adjusting pin			111		 	 4
51	70-0470	Lock nut			111		 1.5.7	 4
52	70-1574	Spring washer					 	 4
53	70-1575	Thrust washer (1/2 in.) .			310		 	 6
54	70-1330	men a constant			111		 -11	 2
55	14-6103	Set screw					 	 4
56	60-3963	Washer					 	 12
57	14-6606	Set screw					 	 8




Fig. 7. CYLINDER BLOCK AND HEAD, TI40V

...

42

43

44

45

46

71-3669

71-3671

71-3673

71-3549

60-3548

REMARKS

CYLINDER BLOCK AND HEAD. 70-6309 1 Cylinder base washer ... 2 71-4005 Cylinder block 3 21-2177 Cylinder base nut 4 70-3446 Washer 5 41-0692 Cylinder base nut (12 point) 6 71-3329 Push rod cover tube 2 7 71-3330 Push rod 8 71-1707 Sleeve ... 2 9 70-4752 Sealing ring Cover tubes 2 10 70-7310 'O' ring-bottom 2 11 71-1283 'O' ring-top- ... 2 12 71-3681 Cylinder head gasket ... 13 71-3023-7/-7000 CYLINDER HEAD 14 71-3294 Inlet valve guide 2 15 71-3295 Exhaust valve guide 2 16 70-4603 Inlet valve 17 70-2904 Exhaust valve 2 ... 18 71-3296 Bottom cup 19 70-4221 Inner valve spring . . . 20 70-7400 Outer valve spring ... 21 70-1543 Top collar . . . 22 99-0062 Split cotter 23 21-2201 Stud-cylinder head (3in.) ... 24 21-2200 Stud-cylinder head (5/16in.) ... 7.1.0 25 21-2204 Socket nut (%in.) 26 21-2205 Socket nut (5 in.) 27 71-3553 Bridge plate 28 82-2184 Washer 29 14-0241 Bolt—cylinder head . . . 30 14-1401 Stud—rocker box 31 70-3302 Washer 6 32 14-0301 Nut ... 33 21-2206 Bolt—rocker box 34 21-1875 Bolt—rocker box 35 60-4248 Washer 36 21-2197 Stud 37 37-2338 Distance piece ... Torque stay 38 60-2331 Washer 39 14-1303 Nut 40 71-2599 Rocker box gasket ... 41 71-3668 Inlet rocker box

Exhaust rocker box

Gasket

Rocker spindle

Sealing ring

Tappet inspection cover

DESCRIPTION

...




Fig. 7. CYLINDER BLOCK AND HEAD, TI40V

CYLINDER BLOCK AND HEAD, TI40V (continued).

47	70-1457	Rocker (right	exhausi	t, left	inlet)	111	 	 	2
48	70-1458	Rocker (left ex	chaust,	right	inlet)		 	 	2
49	71-9070	Ball pin				,	 	 	4
50	70-1513	Adjusting pin				444	 	 	4
51	70-0470	Lock nut			***		 	 	4
52	70-1574	Spring washer					 	 	4
53	70-1575	Thrust washer	(# in.)				 	 	6
54	70-1330	Thrust washer					 	 	2
55	14-6103	Set screw					 	 	4
56	60-3963	Washer					 		12
57	14-6606	Set screw					 		8
							 	 4 * * *	-




Fig. 8. AMAL CARBURETOR, TR7RV

CARBURETOR TR7RV

1	60-2183	CARBURETOR (R930/89) les	"O"	ring				1
2	Reference only	Mixing cham			6				1
3	928/098	Mixing cham	4 .						1
4	622/086	Screw (99-05		,					4
5	928/060	Throttle valv	,	\ (QC	0.0527\				7
_									1
6	622/131	Throttle retu			3)		11.1		1
7	622/067	Needle clip (***		1.11		
8	622/124	Needle (99-1							1
9	928/062	Air slide (99-	,						1
10	622/129	Spring (99-1	,	111		* * *			1
11	928/103	Air valve gui	,		7)			41-,	1
12	622/077	Throttle stop	,	,			,		1
13	622/076	Air adjusting	screw (99-	-0515)					1
14	622/082	"O" ring (99	-0520)					***	2
15	622/122	Needle jet (0)-106) (99-1	035)					1
16	622/128	Jet holder (9	9-1034)				***		1
17	376/100	Main jet (280	0) (99-0455))	***				1
18	622/069	Float (99-051	2)				11.1		1
19	622/071	Float spindle	(99-0513)				***	,	1
20	622/055	Float chambe	4						1
21	622/073	Joint washer	(99-0514)						1
22	622/068	Needle (99-0	1						1
23	376/093	Filter (99-04	,						1
24	622/078	Banjo bolt (9	,						1
25	13/163	Fibre washer	,						4
26	622/147	Drain plug (9	'						1
27	622/151	Washer (99-1						***	1
28	83 -4 887	Potrol sins	,	***					!
29									
7.7	70–9711	"O" ring							1

Ref. No.

Part No.




Fig. 9. AMAL CARBURETOR, TI40V

CARBURETOR T140V

1	60-4305	CARBURETOR—L.H. (R930/93) \ Less ''O'' ring 1	
1	60-4306	CARBURETOR—R.H. (R930/92) 1	
2	Reference only	Mixing chamber (L930/005 and R930/005) 1	
3	928/098	Mixing chamber top (99–1032) 1	
4	622/086	Screw (99–0521) 4	
5	928/060	Throttle valve (3 cutaway) (99–0527) 1	
6	622/131	Throttle return spring (99–1033) 1	
7	622/067	Needle clip (99–0510) 1	
8	622/124	Needle (99–1036) 1	
9	928/062	Air slide (99–0528) 1	
10	622/129	Spring (99–1038) 1	
11	928/103	Air valve guide sleeve (99-1037) 1	
12	622/077	Throttle stop screw (99–0516) 1	
13	622/076	Air adjusting screw (99-0515) 1 Eac	:h
14	622/082		buretor
15	622/122	Needle jet (0·106) (99–1035) 1	
16	622/128	Jet holder (99–1034) 1	
17	376/100	Main jet (210) (99-0448) 1	
18	622/069	Float (99-0512) 1	
19	622/071	Float spindle (99-0513) 1	
20	622/055	Float chamber (99-0506) 1	
21	622/073	Joint washer (99-0514) 1	
22	622/068	Needle (99–0511) 1	
23	376/093	Filter (99–0438) 1	
24	622/078	Banjo bolt (99–0517) 1	
25	13/163	Fibre washer (99–1124) 1	
26	622/147	Drain plug (99-1152) 1	
27	622/151	Washer (99–1153) 1	
28	83-3927	Petrol pipe 1	
29	70-9711	"O" ring 2	




Fig. 10. TIMING COVER AND CONTACT BREAKER

TIMING COVER AND CONTACT BREAKER

	W										
1	70–9246	Timing cover	-,-						 	1	
2	70 -4 016	Patent plate							 	1	
3	60-4255	Hammer-drive	screw						 	3	
4	70-4568	Oil seal							 	2	
4	70-6387	Oil seal (0.020	in. und	lersize)					 		For reground
											crankshaft
5	70-4569	Circlip							 	1	
6	57-0989	Hollow dowel		- 1.1					 	1	
7	14-6609	Screw							 	3	
8	146608	Screw							 	5	
9	14-0208	Bolt			,				 	1	
10	70-8163	Plain washer							 	1	
11	70-4707	Rubber gromm	et						 	1	
12	70-7680	Pillar bolt							 	2	
13	70-6559	Plain washer		100	1.00				 	2	
14	70-8737	Cover		100					 	1	
15	71-1462	Joint washer							 	1	
16	60-4256	Serrated washe	r						 	2	
17	70-7354	Screw (1/2 in. U.	H.)						 	2	
18	54425657	AUTO ADVAN							 	1	
19	54412229	Spring set	(99-12	64)					 	1	
20	54425160	CONTACT BR			E ASSI	EMBLY	(99 - 1)	265)	 	1	
21	60600271	Contact se							 	2	
22	54419220	Pin, adjusti		,					 	2	
23	60-3719	Oil pressure sw								1	
24	71-2930	Cover pressure								1	
Not illus.	60-2138	Timing label for					***		 	1	
	00 E130	Timing label 10	C.D. 1	COTE					 	1	




Fig. II GEARBOX INNER COVER AND SELECTORS

GEARBOX INNER COVER AND SELECTORS


1	57~7013	GEARBOX INNER COVER	1
2	57–1614	layshaft hearing	1
3	57⊷7009	Garchange spindle hust	1
4	57-0045	Kickstart stop	1
5	57–1607	Thrust waches	1
6	57-0989	Hollow down	1
7	21-2149	Court I	
8	21–1907	D-L	2
9		Bolt	1
10	70–3446	Washer	1
11	14-6608	Screw	1
	14-7023	Screw	1
12	57-4624	Camplate	1
13	57 -4 363 57-7011	Operating quadrant	1
14	37-7011	Quadrant spindle	1
15		Split pin $(\frac{5}{64}$ in. x $1\frac{3}{8}$ in.)	Reference only
16	57-3989	Selector fork rod	1
17	57–3660	Index plunger	1
18	57-4459	Plunger spring	1
19	57-4400	Housing, index plunger	1
20	57-3978	Washer	1
21	57-7012	Joint washer, inner cover to crankcase	1
22	57-4364	Selector fork - mainshaft 4th gear	1
23	57-4366	Selector fork - layshaft 3rd gear	1
24	57-4660	Selector fork - layshaft 1st gear	1
25	37-3761	"O" Ring	1
26	57-7015	Plug	1
27	57-7016	Retainer	1

Fig. 12 GEARBOX SHAFTS AND GEARS (5 SPEED)

GEARBOX SHAFTS AND GEARS

	(0.3500	0.1								
1 2	60–3500	,								1
	70–3789					***				1
3	57-4781	MAINSHAFT HIGH	GEAR	ASSE	MBLY	(C/W	/ HIG	H GE	AR	
	57-4628 *	BEARING)					***			1
4	60-3511	Needle roller bear								2
5	60-3500	Oil seal, high gear								1
6	57 -44 32	mainshaft								1
7	57-3988									1
8	57-4376	Mainshaft 4th gear								1
9	57-4377	MAINSHAFT 3rd GEA	\R							1
10	57-4575	Bush								Reference only
11	57-4653	Mainshaft 1st and 2nd	gear							1
12	57-4900	LAYSHAFT								1
13	57-4550	Layshaft high gear								Reference only
14	57-4384	Layshaft 4th gear								Reference only
15	57-4647	1 1 6 2 1								1
16	57-4657	LAYSHAFT 2nd GEAR	}							1
17	57-4662	Decel								1
18	57-4654	LAYSHAFT 1st GEAR								1
19	57-4663	Bush								1
20	60-3494	Circlip								1
21	57-4661	Driving dog ,								1
22	57-4782	Gearbox sprocket - 20								1
23	57-4396	Lastrana								1
24	57-4909	Look washen								1
Not ill	us. 60-3512	Ottorel esselves								1
25	70-0489	Cinalia								1
26	60-3552	Maia-bafa bassina								1
27	57-4113	Cinalia							***	1
28	57-1962	Washaus								1
29	57-1963	Dialan alassa								1
30	57-1250	Dinion contact								4 .
31	57-0730	Vielesses -i-i								4
32	57-0731	Vielestant nanahan								4
33	57-2240	Tab washan								4
34	21-0594	Nur								1
35	57–1736	Clutch operating rod								1
36	71–1070	"O" ring, gearbox spri								I
		o ring, gear box spri	OCKEL						'	1

CP1000 = 99-3802



BIO

Fig. 13. GEARBOX OUTER COVER

GEARBOX OUTER COVER

		•
	57 - 7014	GEARBOX OUTER COVER 1
	2 57-0023	Kickstarter spindle bush 1
	57-7008	Gearchange spindle bush 1
	4 57-0047	Kickstarter spring anchor pin 1
	5 21-0547	Guide plate stud 4
	57-1956	Oil seal 1
1	7 57–1955	Oil seal housing 1
8	8 57-7 007	Gearchange quadrant 1
	7021	
10	57-0404	Quadrant return spring 2
11	57-0406	Gearchange quadrant plunger 2
12	2 57-0405	Plunger spring 2
13	57-0407	Guide plate 1
. 14	70–1612	Serrated washer 4
15	14-0301	Nut 4
_16	57-4117	Kickstarter guadrant 1
17		Kickstarter return spring 1
18		Kickstarter axle 1
15		CLUTCH LEVER ASSEMBLY 1
20		Clutch lever 1
21		Lever shaft 1
22		Ball, 🖁 in. diam,
23		Thrust plate 1
24		Return spring 1
25		Plain washer 1
26		Split pin $(\frac{5}{64}$ in. $\times \frac{1}{2}$ in.) Reference only
27		Countersunk screw 2
28		Rubber co. er 1
29		Abutment for clutch cable 1
30		Plain washer 2
31		Nut 1
32		Screw 2
33		Screw
34	14-6608	Screw 1
38	57~7018	FOLDING KICKSTARTER 1
39	57-2173	Kickstarter lever 1
40	57-7017	Kickstärter pedal
41		Pedal locating spring 1
42	60-2364	Steel ball, 4 in. diam
43	21-0541	Pedal bolt
44		Pedal rubber 1
45	57-4356	Cotter pin c/w nut and washer 1
46		Domed nut 1
47		Filler plug 1
48	70-8782	"O" ring 1




Fig. 14. CLUTCH

CLUTCH


1	21-0586	Clutch s	ecuring	g nut		 	 	 	1
2	57-3929	Hub				 	 	 	1
3	57-3931	Thrust v	washer			 	 	 	1
4	57-0394	Roller				 	 	 	20
5	57-4640	Sprocke	t and h	ousing		 	 	 	1
6	57-4438	Centre				 	 	 	1
7	57-4436	Inner pl	ate			 	 	 	1
8	21-2157	Bolt				 	 	 . * * *	3
9	57-4636	Shock a	bsorbe	r spide	r	 	 	 	1
10	57-1722	Drive ru	ıbber ((large)		 	 ***	 	3
11	57-1723	Rebound	d rubb	er (sma	all)	 151	 	 	3
12	57 -44 37	Outer p	late	41.4		 4 6 1	 	 	1
13	57-4754	Screwed	pin			 	 	 	3
14	57-1362	Driving	plate (bonde	d)	 	 	 	6
15	57-1363	Driven	plate			 	 	 	6
16	57 -4 590	Pressure	e plate			 1.41	 	 	1
17	57-2159	Adjuste	r pin			 	 	 	1
18	14-0403	Nut				 	 	 	1
19	57-1931	Spring o	:up			 	 	 	3
20	57-4644	Spring				 	 	 	3
21	57-2526	Pressure	e nut		4.64	 	 	 * * *	3
22	60-4253	Key				 	 	 	1
23	57-4794	Washer			1.10	 	 	 	1

Ref. No.

Fig. 15. CHAINCASE AND CHAINS


CHAINCASE AND CHAINS

1	60-2118	Rear chain, 5 in. x 3	in. x 10	7 links						1	
2	71-1419	Joint washer								1	
3	574643	Timing pointer								1	
4	70-3821	Countersunk screw								6	
5	70-5976	Chain tensioner abut	ment							1	(also listed with
											crankcase group)
6 -	70-5085	Chain tensioner blade	è							1	crankcase group)
7	70-4152	Tie rod								1	
8	70-5087	Trunnion								1	
9	70-9703	Adjuster sleeve nut								1	
10	60-4125	6076 Primary chain, 3 in. T	riplex	x 84 lin						1	
11	21-2199	Stator stud								2	
12	21-2198	Stator stud			114					1	
13	47205	Stator, RM21 (99-100	6)						***	1	
14	70-9360	Sleeve nut								4	
15	70-4144	Rubber grommet								1	
16	60-4247	Plain washer								2	
17	14-0702	Self-locking nut								2	
18	71~7009	Joint washer				***		***		1	
19	71-7003	Chaincase					***			4	
20	57-7003	Foot Change Spi			***					4	
21	57-0023	Bushing								1	
22	57-0057	Bushing		***					* 1 -	1	
237	7-3895- 57-2166	Filler plug				***	** *	***	***	1	
	7-38% 70-8782	"O" ring						1 - 1		4	
25	14-6608	Screw							* * *	1	
26	14-6620	Scrout								6	
27	21-0544	Domed nut								2	
28	82-1880	Copper washer								.2	
29	57-7010	Gearchange pedal	'					***	• • • •	2	
30	57-2450	De det mobile								1	
31	14-0201									1.	
32	60-3530	Bolt								1	
34	00-0000	"O" Ring Shift S	pindl	.е .		***		***		f	



FRAME

1	83-7032	Frame									1
2	71-3463	Oil filler cap	22.5				***				1
3	60-3616	"O" ring						***	***		1
4	83-4783	Oil filter						+++	+++		1
5	71-3316	Sump plate						***	***		1
6	83-2829	Gasket									2
7	60-2330	Washer]									4
8	21-2025	Stud > Su	ımp pla	te to fi	rame						4
9	14-1302	-Nut									4
10	82-5343	Drain plug									1
11	70-1335	Joint washer						1			1
12	71-3478	Oil junction bl	ock								1
13	71-3754	Joint washer									1 .
14	21-1908	Nut 1									
15	70-3446	Washer } Ju	nction	DIOCK T	o crani	kcase				• • • •	1
16	71-3550	Rocker oil pipe	e								1
17	70-1335	Washer							***		4
18	21-0550	Nut						***			2
19	71-3551	Rocker feed pi	ре								1
20	70-6848	Clip-rocker f		e							2
21	71-2345	Oil return pipe									1
22	70-6848	Clip-return p						***			2
23	82-9073	Clip-feed pip						***			2
24	71-3450	Oil feed pipe						4.64			1
25	71-2349	Oil vent pipe									1
26	83-5285	Crankcase brea									1
27	83-4813	Crankcase brea									1
28	83-5290	"T" piece									1
29	60-2252	Clip-breather									2
30	60-2252	Clip-breather									1
31	83-1615	Clip-breather									4
32	97-3894	Screw									4
33	82-4717	Nut								* * *	4
34	83-4615	Centre stand						***			1
35	83-3793	Spring						***			1
36	21-2077	Pivot bolt			111					***	2
37	14-1304	Nut					***			***	2
38	83-1560	Prop stand							•••	• • • •	1
39	82-7021	Bolt		***		***				• • • •	1
40	14-1303	Nut			***	***		***		• • •	1
41	82-8382	Spring							***		1
Not illus.	60-3361	Transfer "Made			***					•••	4
Not illus.	14-0114	Rolt)						***		• • • •	1
Not illus.	14-0402	Nut Prop	stand s	top							1
		1400									



SWINGING ARM AND SUSPENSION UNITS

1	83~7035	SWINGING ARM								1
2	60-1841	Grease nipple								2
3	71-2501	Washer, grease	nipple							2
4	83-2521	Bush, pivot arm								4
5	83-2691	Sleeve, swinging arm	pivot							2
6	83-2690	Distance piece R.H.								1
7	83-2689	Distance piece L.H.	***							1
8	83-2692	Dirt excluder								4
9	21-2087	Stud, swinging arm p	ivot							1
10	83-2266	Washer, swinging arr	m pivot							2
11	14-1307	Nut, swinging arm pi						1.6.4		1
12	83-7028	Brake torque stay	***			***				1)
										1
										1 Also listed
15	14-0133	Bolt, torque stay to s	winging	arm						1 with rear wheel
16	37-2330	Washer, torque stay	to swin	ging ar	m					1
17	14-1304	Nut, torque stay to s	winging	arm						1)
18	64052564	suspension unit	(60-395	57)						2
19	6405263	Damper unit		,						Reference only
20	64533645	Bonded bush (99	-0122)							4
21	9054/171	Spring retainer (99-0107)						4
22	64543708	Spring, 110 lbs. c	hrome	(99-10	048)					2
23	14-0235	Bolt, damper-top				-1.				2
24	60-2331	Washer, damper-to	P					,		2
25	14-1303	Nut, damper-top							,	2
26	14-0234	Bolt, damper, lower								2
27	60-2331	Washer damper lowe	:r							2
28	14-1303	Nut damper lower								Ź
2.9	83-2641	Chainguard								1
										1
31	60-2347	Washer, chainguard f	ixing—f	ront				,		1
32	34815	Stop lamp switch-11	-							1
33	21-7010	Screw		,						2
34	97-1388	Washer					,			2
Not	Illus. 83-7047	Pad Stop Light S	Switch	!	,	***			٠.,	1




Fig. 18. MOTOR UNIT FITTING AND FOOTRESTS

MOTOR UNIT FITTINGS AND FOOTRESTS

1	83-2854	Footrest—L.H 1
2	83-2855	Footrest—R.H 1
3	14-0259	Bolt 1
4	60-2333	Washer 2
5	82-9279	Footrest rubber 2
- 6	83-7026	PILLION FOOTREST R.H 2
7	82-9053	Pedal 1
8	21-7001	Hanger bolt L. H 1
9	14-0217	Bolt) 1
10	82-9089	Washer > Footrest swivel 1
11	14-1302	Nut 1
12	14-1303	Nut \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
13	82-2184	Washer Footrest to frame 1
14	82-9054	Footrest rubber 1
15	83~7025	PILLION FOOTREST L.H 1
16	14-0103	Screw \
17	14-0301	Nut Stop light adjustment 1
18	21-2045	Pivot pin 1
19	14-1303	Nut 1
20	70-8084	Washer 1
21	83-2860	Rear brake operating rod 1
22		Split pin $\left(\frac{1}{16} \text{ in. } \times \frac{3}{8} \text{ in.}\right)$ Reference only
23	83-4277	Distance plece 1
24	82-7387	Adjuster nut—brake rod 2
25	83-7011	Rear motor plate R.H 1
26	83-7009	Rear motor plate—L.H 1
27	14-0115	Bolt 5
28	14-0116	Bolt 1
29	14-1302	Nut Rear motor plates to frame 6
30	60-2330	Washer 12
31	14-0220	Bolt 3
32	14-0221	Bolt 2
33	14-1302	Nut > Motor to motor plates
34	60-2321	Washer
35	83-2846	Distance piece—I H)
36	83-2847	Distance piece—R H
37	21-2112	Bolt Motor to frame centre better
38	14-0304	Nut 1
39	60-4251	Washer 1
40	60-2332	Washer
41	83-2848	Distance piece—I H S
42	83-2849	Distance piece—R H
43	14-0254	Bolt Motor Guing frame
44	14-1304	Nut
45	60-2332	Washer
46	83-3537	Steady headlet motor to from
47	14-0129	Steady bracket motor to frame 1
48	83-3329	Bolt 1
49	60–2331	Distance piece Bracket to frame 1
50	83-4086	Washer 1
		Attachment plate 1
51	21-7002	Bolt K.H 1

Fig. 19. EXHAUST PIPES AND MUFFLERS

EXHAUST PIPES AND MUFFLERS, TR7RV, T140V

1	71-3755	Exhaust pipe—L.H			 	1
2	71-3758	Exhaust pipe-R.H			 	1
3	71-2465	Finned clip			 	2
4	21-0778	Nut Exhaust pipes to cylin	ider he	ad	 11.4	2
5	21-2186	Screw			 	2
6	70-6857	Exhaust pipe stay -L.H			 	1
7	14-2205	Screw			 	2
8	70-7471	Nut			 	2
9	70-7512	Clip			 	2
10	70-3768	"D" washer	a nino		 	4
11	14-0217	Bolt Exhaust pipes to coupling	g pipe		 	2
12	14-1202	Nut			 	2
13	70-9888	Coupling pipe			 ,	1
14	70-5874	Clip			 	2
15	70-3768	"D" washer			 	4
16	14-0219	Bolt > Exhaust pipes to mufflers			 	2
17	60-4247	Washer			 	2
18	14-1202	Nut			 	2
19	71-4159	Muffler			 	2
20	83⊶7021	Hanger-muffler R.H.			 	1
21	14-0102	Bolt			 	4
22	14-1201	Nut > Muffler to hanger			 	4
23	60-4248	Washer			 	4
24	83-7022	Hanger Muffler L.H		4.	 	1
25	71~7010	Exhaust pipe stay _R.H			 ** *	1




Fig. 20. TELESCOPIC FRONT FORK

TELESCOPIC FRONT FORK

1	97-4396	FORK ASSEMBLY	1
2	97-4381	Top Yoke	1
3	14-0234	Pinch Bolt	1
4	14-1303	Nut , ,	1
5	60-2331	Washer	1
6	14-1034	Cap Screw	2
7	82-6738	Lock c/w 2 keys	1
8	60-0623	Key (state serial no.)	1.
9	21-0578	.Grub Screw	1
10	972266	Sealing Washer	1
11	83-2007	Abutment Ring	2
12	97-4031	Taper roller bearing	2
13	97-4028	Dust cover	2
14	97-4385	Bottom yoke and stem	1
15	14-0237	Pinch bolt	1
15	97-4476	Pinch bolt	1
16	82-2184	Washer	4
17	14-1303	Nut	2
18	97-4380	Stanchion	2
19	97-4076	End Plug	2
20	97-4011	Main Spring	2
21	97-4514	OLITED MEMBER I LI	4
22	97-4515	OLITER MEMBER RH	1
23	97-4456	Cap, wheel spindle—L.H	1
24	97-4457	Can wheel saindle P H	1
25	21-2102	Stud	8
26	14-0302	Nut	0
27	60-2428	Washan	
28	97 -4 001	Oil Saal	2
29	97-3894	Drain Plus	2
30	97–3893	Washer	2
31	97–4003	'O' ring	2
32	97-4009	Racail Spring	2
33	14–1019	Can Scrow	2
34	97-4004	Can Scraw Soal	2
35	97-4325	Damper Tube and Valve Assembly	2
36	97-4395		2
37	97–4166	Top Cap Nut	2
38	97-4317	Washer	2
39	21–2189	Steering Stem Nut	1
40	97–4387	Stud, Caliper to Outer Member	2
41	97 -44 61	Cap Screw, Top Cap Nut	2
42	97 -40 02	Rubber Ring, Outer Cover	2
12	77- 4 00Z	Scraper Sleeve	2




Fig. 20. TELESCOPIC FRONT FORK

TELESCOPIC FRONT FORK (continued)

43	97-4480	Outer cover-L.H.		 	 	 	1
44	97-4481	Outer cover—R.H.		 	 	 	1
45	97-4121	Headlamp bracket-l	H.	 	 	 	1
46	97-4203	Headlamp bracket-F	R.H.	 	 	 	1
47	97-2208	Rubber mounting		 	 	 	2
48	97-2209	Rubber buffer		 	 	 	4
49	97-2210	Backing washer		 	 	 	4
50	21-2095	Attachment bolt		 	 	 	4
Not illus.	82-6784	Grommet, throttle ca	able	 	 	 	1
51	97-4012	Nut, damper valve		 	 	 	1

ALTERNATIVE FITMENTS (NOT U.S.A.)

97-1510	Gaiter—fork outer cover	 	 	 	2
97-4406	Outer cover—L.H	 	 	 	1
97-4407	Outer cover—R.H	 	 	 	1

Fig. 22 FRONT WHEEL

FRONT WHEEL

1	37-4141	FRONT WHEEL COMPLETE 1
2	37-4143	RIM, SPOKES AND HUB ASSEMBLY 1
3	37-4129	Rim 1
4	37-4126	Hub—L.H. half 1
5	37-4127	Hub-R.H. half 1
6	37-4131	Spoke—Outer 20
7	37-4130	Spoke—Inner 20
8	37-2294	Spoke Nipple 40
9	37-4133	Locknut H
10	37-4134	Lock Ring J. H.
11	57-1070	Bearing I H
12	37-4135	Grease retainer—I H
13	37–1237	Dust Cover—R H
14	37-0653	Bearing R H
15	57-0280	Circlin R H
16	37-4132	6-1-11
17	37-4136	Spindle 1
18		
	21-2207	Bolt 4
19	60-2322	Washer > Disc to hub 4
20	14-1303	Nut] 4
21	37-3969	Balance weight
22	37-3970	Balance weight
		balance weight As regd.





Fig. 23. FRONT BRAKE


† Brake pad kit 99-2769



REAR WHEEL

1		37-7019	Rear wheel assembly		***				 1
2		37-7017	Rim, spokes, and hub as	sembly	***				 1
3	1	37-7018	Rim-W.M.3-19						 1 -
4		377009	Spoke, inner-R.H	and L.F	H				 20
5		37⊶7007	Spoke, outer-R.H	ł				1	 10
6		37⊶7008	Spoke, outer-L.H	l					 10
7		37-2294	Nipple						 40
8		37-7001	Hub-L.H. half						 1
9		37⊶7002	Hub-R.H. half						 1
10		37-4275	Disc						 1
11		37~7005	Inner sleeve						 1
12		37-0653	Bearing-R.H						 1
13		37-7010	Spacer rear hu	ъ					 1
14		37-4236	Dust cap-R.H. bearing						 1
15		37-7003	Spacer, inner-R.H						 1
16		37-4261-37-3935	Spindle		***				 1
17		14-1307	Nut-wheel spindle (5°	U.N.F.	self-locking	g)			 1
18		83-2266	Washer-wheel spindle	e nut (-6!	56"—1.000	~·092	2")		 1
19		37-4259	Adjuster-chain, R.H.						 1
20		14-0107	Screw-chain adjuster ((1" U.N.	F. × 1½" U	.H.)			 2
21		14-0301	Nut-chain adjuster scr	rew (¼" L	J.N.F.)				 2
22		21-7005	Bolt—disc to sprocket						 4
23		14-1903	Nut-disc/sprocket bol	t (¾" U.1	N.F. self-lo	cking)			 4
24		70-8770	Washer-disc/sprocket						 4
25		71-4045	Washer-disc/sprocket						 4
26		37-7016	Sprocket—	,			,		 1
27		37-4362	Adjuster-chain L.H						 1
28		37-4181	Bearing retains						 1
29		60-3213	Speedometer drive unit						 1
30		37-7006	Spacer-L. H.						 1
31		57-1070	Bearing-L.H						 1
32		37-4135	Grease retainer-L.H. b						 1
33		37-7004	Driving ring—speedom						 1
34		37-3969	Balance weight—short						 As required
35		37-3970	Balance weight—long						 As required
36		37-3468	Security bolt						 2

Bal rim (73-74 type) MC 259 (37-3784)



Ref. No.	Part No.	Part No.	DESCRIPTION	1				QL	JANTITY REMARKS
			REAR BE	RAKE					
1	37~7014		Anchorplate NEW		7	00-0	1409		1
2	60-4101	4823432	Caliper						1
3		4741-570	*Brake pad						2 *Available as a
4		K19866c.p	*Retaining pin						2 Service kit
5		28696	Bleed nipple						1 No. 99-2769
6	99-2765	3275-428	Piston						2
7	99-2766	96498	Fluid seal						2
8	99-2767	SSB72075	Retainer						2
9		102799	Fluid seal						1
0		3437-307	Bolt						2
1	60-4266	363400	Cover-bleed ni						1
2	21-2330		Bolt-caliper to anch						2
3	14-1203		Nut-caliper/anchor						2
4	60-2340		Washer-caliper/and						
5	83-7044		Brake pedal			•			1
6	14-0103		Screw, adjuster-stop						1
7	14-0401		Nut-adjuster screw						1
8	83-7051		Brake lever						1
9	14-1303		Nut-brake lever/pe	dal (종" l	J.N.F.	self-loci			1
20	60-2322		Washer, for nut (-395						1
21	83⊶7016		Spring, return-brak						1
22	21~7006		Nut, adjuster—push						2 Shouldered
23	60-4617	Canase 60-4414	Hose-master cylinde						1
24	60-7007		Pipe—hose to caliper						1
2.5	60-4180	K24103	Nut-hose to eyebolt						1
.6	70-2288	K19407	Washer, serrated-h						1
27	60-4401	4211-127†	Master cylinder-con						1 †Service kit
28	21-7007		Bolt-master cylinde						2
30	14-1302		Nut—master cylinder	r/frame	bolt (+	토" U.N.	F. self-	locking) 2
31	60-2330		Washer, for nut-(-33						4
32	82-9092		Spacer-master cyline						2
33	60-4409	9206-2050	Hose-reservoir to m	aster c	ylinder			114	1
34	60-4580		Clip-hose						2
35	83⊶7049		Clip-hose,						1
36	83⊷7024		Trunnion						1
37	83-7018		Mounting plate	mast	er cv	linde	r		4
8	83-7053		Pivot Bolt						i
-	03 5445		Reservoir—assembly						1
	83-5465		rieser for assembly		111				1
9	83-5465 60-4397	3251/796							
9			Body—reservoir						1
9 10 11	60-4397		Body—reservoir Mounting—reser	 rvoir					1
9 10 11 12	60-4397 83 ⊶ 7048		Body—reservoir Mounting—reser 'O' ring	 rvoir					1 1 1
19 10 11 12	60-4397 83⊶7048 60-4374	3855/814	Body—reservoir Mounting—reser	····					1 1 1
19 10 11 12 13 14	60-4397 83→7048 60-4374 60-4398	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain	voir					1 1 1 1
19 10 11 12 13 14	60-4397 837048 60-4374 60-4398 60-4399	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m	voir	 g (¼ U	 .N.F. ×	 ≨″ U.I	 H.)	1 1 1 1 1
99 10 11 12 13 14 15 16	60-4397 837048 60-4374 60-4398 60-4399 14-0102	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring—	rvoir ounting	 y (¼* U	 .N.F. ×	 흫" U.I	 H.)	1 1 1 1 1 1
9 0 1 2 3 4 5 6 7	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing	ounting	 g (¼* U	 .N.F. ×	 *″ U.I	 H.)	1 1 1 1 1 1
9 0 1 1 2 3 4 5 6 7	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub	rvoir ounting -for bol	 g (¼ U t	 .N.F. ×	 ૄૄ* U.I	 H.)	1 1 1 1 1 1 1
99 100 11 122 133 14 155 166 17 188 19	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467	3855/814 3517/221	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper	ounting	 g (¼ U	 .N.F. ×	 §″ U.I 	H.)	1 1 1 1 1 1 1 1
19 10 11 12 13 14 15 16 17 18 19	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm	ounting	 t 	 .N.F. ×	 §″ U.I	H.)	1 1 1 1 1 1 1 1 1
19 10 11 12 13 14 15 16 17 18 18 19 10 11	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap	ounting	 	 .N.F. ×	 ∦ U.I	 H.) 	1 1 1 1 1 1
99 90 61 12 13 14 15 15 16 17 18 19 10 11 12 13 14 15 16 16 17 17 18 18 18 18 18 18 18 18 18 18 18 18 18	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366 60-4365	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap Bolt—mounting to ba	ounting	 g (¼ U t arrier (H.) 	1 1 1 1 1 1
19 10 11 12 13 14 14 15 16 17 18 19 10 11 12 13 14 14 15 16 17 18 19 19 19 19 19 19 19 19 19 19 19 19 19	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366 60-4365 14-0102	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap Bolt—mounting to ba Washer, spring—for the	ounting -for bol	 g (¼* U t arrier (.N.F. × 	 	 H.) 	1 1 1 1 1 1
39 40 41 42 43 44 45 46 47 48 49 50 51 51 52	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366 60-4365 14-0102 60-2427	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap Bolt—mounting to ba Washer, spring—for the	ounting for bol attery capality	 g (¼* U t arrier (.N.F. × 	 § U.I	 H.) 	1 1 1 1 1 1 1 1 1
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366 60-4365 14-0102 60-2427 37-4263	3855/814 3517/221 3512/305	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap Bolt—mounting to ba Washer, spring—for the Cover—caliper Screw—caliper cover	ounting for bol conting for bol contin	 g (¼* U. t 	 .N.F. × J.N.C.)	 § U.I	 H.) 	1 1 1 1 1 1 1 1 1 1 1 2 Countersunk hea
39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54	60-4397 83-7048 60-4374 60-4398 60-4399 14-0102 60-2427 60-4597 83-5467 60-4328 60-4366 60-4365 14-0102 60-2427 37-4263 21-2335	3855/814 3517/221 3512/305 3818—747 3847-240	Body—reservoir Mounting—reser 'O' ring Distance piece Washer, plain Bolt—body to m Washer, spring— Washer, sealing Outlet stub Washer—paper Diaphragm Filler cap Bolt—mounting to ba Washer, spring—for the	ounting for bol counting	 g (¼* U. t arrier (.N.F. × J.N.C.)	 § U.I	 H.) 	1 1 1 1 1 1 1 1 1 1 1 2 Countersunk hea




Fig. 25 GAS TANKS AND TWINSEAT

GAS TANK AND TWINSEAT

1	83-5413	Gas tank (3-6 U.S. g	alls.)			11.4			1	T140V
1	83-5414	Gas tank (3.6 U.S. g								TR7RV
2	83-4931	Steady rubber							2	, , , , , , ,
3	83-4932	Mounting rubber							2	
4	83-4930	Centre fixing bolt		***					1	
5	60-2321	Washer						-	1	
6	82-9063	Distance tube							1	
7	83-4934	Mounting rubber							1	
8 %	2 - 3⊝ ⊕83 - 3814	Washer							1	
9	14-1202	Nut							1	-
10	83-4395	Tie strap							4	
11	14-0113	Bolt						- 1 1	1	
12	60-2428	Washer ,							1	
13	83-4776	Badge—tank gromm							1	
14	83-4763	Grommet		- , -		,			1	
15	82-9700	Tank motif—L.H.								
15	82-9701	Tank motif—R.H.		416	,	4 6 -		11.	1	
16	83–1339	Screw—front—tank	:6			- 1 -			1	
17	82–7888	Screw—rear—tank							2	
18	83-3875		notif						2	
19	824048	Filler cap							1	
20	83-2800	Joint washer							1	
21	83-2801	Gas tap	* * * *		,				1	
22	70–7351	Gas tap—reserve							1	
23	83-0002	Tap seal			111		1 -		2	
	-2/16/1 83-4786	Washer	11.1					1	2	
		Twinseat							1	
25 8		Twinseat cover							1	
26	83-4782	Hingerear		,	***				1	
27	83-4802	Hinge—front							1	
28	14-0101	Bolt Hinge a	tracho	nent.					4	
29	60-2417	** AZIIE	ccaciiii	reire		1 - 1			4	
30	82-9093	Rubber buffer							4	
31	60-2087	Check wire							1	
32	60-2381	Screw—self-tapping							1	
33	82-7560	Seat plunger							1	
34	82-4228	Spring			,				1	
35	_	Split pin $(\frac{3}{32}$ in. $x + \frac{1}{2}$ ir	1.)							ference only
36	70-1719	Washer							1	ici ciice oiii)
									,	
		ALTERN	LAT	LVE		W E &I	T 6			
	83-5418	Petrol tank (4 Imp. ga			- 1 1 1	MEN	15	(IAC	OT U.S.A	
	83-5417					***				140V
	83-4933	Petrol tank (4 Imp. ga			***				1 1	R7RV
	21–2064	Mounting rubber							1	
		Screw—tank badge	***	***	***	***	***		4	
	60-2569	Tank badge				11.4	***		2	
	83-4355	Knee grip—L.H.							1	
	83-4356	Knee grip—R.H.		· >				***	1	
	83-4118	Tie strap					1	111	1	
					-					

Fig. 26 AIR CLEANERS AND SIDE PANELS

AIR CLEANER AND SIDE PANELS

	83-5010	AIR CLEANER ASSEMBLY—L.H	1)
	83-5011	AIR CLEANER ASSEMBLY—R.H	1
1	83-4606	Body—L.H	1 Twin Carb
1	83-4607	Body—R.H	1 T140V
2	83-4809	Cover—L.H	1
2	83-4810	Cover—R.H	1
	83-5012	AIR CLEANER ASSEMBLY—L.H	1
	83-5013	AIR CLEANER ASSEMBLY—R.H	1
1	83-4845	Body—L.H	1 Single Carb
1	83-4609	Body—R.H	1 TR7RV
2	83-4807	Cover—L.H	1
2	83-4808	Cover—R.H	1
3	60-3618	Element	25
4	83-3417	Clip, element	4
5	14-0221	Bolt)	2
6	82-8245	Retainer Cover to body	2
7	60-2438	Washer	2 All models
8	14-0302	Nut	2
9	60-3539	Scraw)	2
10	21-0501	Nut L.H. assy to R.H. assy	2
11	14-0218	Bolt	2
12	60-2418	Spring washer Air cleaner to frame	2
13	83-2626	Connector pipe	2 T140V
14	83-5161	Connector pipe	1 TR7RV
15	71-1860	Carburetor adaptor	1 or 2
16	60-3975	Clip	1 or 2
17	83-4854	Side panel—L.H.	1
18	83-4803	Side panel—R.H	1
19	82-6673	Panel grommet	2
20	14-0102	Bolt	4
21	60-4150	Name plate	2
22	604169	Motif	2 70701
22	(60-4385)	Mortif	D T1 1011
23	60-4153	Rubber bush	
24	60-4152	Rubber plug	
25	60-4154	'Spire' nut	2
26	82-4717	Nut Name plate estachment	2
27	82-4129	Screw	
Not	illus, 83-5236	Rubber strip_side panel	2
		Rubber strip—side panei	2

Fig. 27. FENDERS AND TAIL LAMP

FENDERS


1	97-4439	Front fender									1
2	97-4533	Front stay									1
3	-97-453497-4550	Centre stay									1
4	97 -4 535	Bottom stay									1
5	14-0101	Bolt)							6
6	60-4245	Washer		>	Stays to	fende	er.				6
7	14-1201	Nut		j							6
8	83-5151	Bracket									1
9	14-0103	Bolt		1	Dracko	. to for	حما با				2
10	60-2427	Washer		3	Bracket	LO IOI	K leg	***			2
11	14-0116	Bolt		ĺ							2
12	60-2330	Washer		>	Front a	nd cen	tre sta	ys to b	racket		2
13	14-1302	Nut		j							2
14	14-6114	Bolt		1	Bottom		a faul	la-			2
15	60-2428	Washer		Š	DOLLON	stay to	OTOFK	reg			2
16	83⊶703l	Rear fender									1
17	14-0101	Bolt)							2
18	60-2329	Washer		>	Fender	top fix	ing				2
19	14-1301	Nut		j							2
20	14-0114	Bolt		1							2
21	60-2330	Washer		>	Fender	front f	ixing				2
22	14-1302	Nut									2
23	83-4600	Bridge-rear fe	ender								1
24	14-0102	Bolt)							2
25	60-2329	Washer		>	Bridge (o fend	er				2
26	14-1301	Nut		j							2
27	83-5145	Lifting handle									1
28	14-0102	Bolt)							2
29	60-2329	Washer		}	Lifting h	nandle	to fend	ler			2
30		Nut		j							2
Not ill	us. 97-0961	Ĉable grommet			***		***				5
				ΑТ	IVEF	ІТМ	ENT	гs	(NOT	U.S.	A.)
		Front mudguare									1
		Front number (olate					***	***		1
		Screw									2
		"O" ring }	Numb	er pla	te attacl	nment					2
		Washer									2
		Rear number pl	ate					***			1
	14-0101	Bolt							***		4
	40 0000										

not ille. Timber but 12 2296

60-2329


14-1301

Number plate attachment ...



TAIL LAMP AND SUPPORT

1	83-4774	Tail lamp support	4
2	21-2225	Stud	1
3	60-4250	Washer Tail lamp support to fender	1
4	14-0301	Nut	1
5	83-5001	Support plate	1
6	83-4784	Rear no. plate bracket—top	1
7	82-6850	Rear bo. plate bracket—bottom	1
8	14-0102	Bolt	4
9	60-2329	Washer >No. plate brackets and support plate to fender	4
10	14-1301	Nut	4
Not illus.	83-4806	Wiring protector	1
11	56513	STOP—TAIL LAMP—L917 (99-1252)	1
12	54584930	Lens (complete with screws) (99-1257)	1
		54584931 Base assembly	Reference only
14	54583924	Gasket	Reference only
15	380	Bulb (99-0542)	1
Not illus.	60-4103	Cable grommet	5
Not illus.	60–3748	Decal '5 SPEED'	1 .
Not illus.	83-5105	Grommet	2
16	83-4800	Nut-Tail Light to support	2



REMARKS

HANDLEBARS AND CONTROL LEVERS

1	- 37-7001 97-700	/ Handlebar	,								1
							***	***	***		
2	97–1425	Sleeve, handle									4
3	16/364	TWISTGRIP (1.10,1	1
4	16/328	Body, top	,				***			***	1
5	16/329	BODY, B	MOTTO	1 HALF	(99–0	1246)			:	+ + +	1
, 6	16/008		ion sprir	ng							Reference only
7	16/009	Screv							***		Reference only
8	16/010	Lock	nut					***			Reference only
9	99-0244	Rotor	***								1
10	11/013	Screw (99) - 0225)								2
11	970958	Grip	***								1
12	16/011	Cable stop (99	0241)								1
13	97–212 4	Grip									1
14	60-3567	AIR CONTRO	DL LEVI	ER							1
15	12/556	Lever	***								Reference only
16	12/607	Bolt	***				1.6.4				Reference only
17	12/606	Cap									Reference only
18	12/033	Spring wa					1 4 4	***			Reference only
19	60-4256	Shakeproof w	asher								2
20	60-3896	Screw									2
21	*60-4391	Front brake le	ever			**.*					Reference only
22	60-7015	Clutch lever									1
23	21-2048	Pivot pin				***					1
24	14-1201	Nut	***								1
25	60-3585	Adjuster									2
26	60-3586	Lockring	***								2
米 27	60-4586	HANDLEBAR	SWIT	CH—L.	H.						Reference only
28	30707									• • •	
29				,							
30	30781 (19-1961										
31	54033754	/ Handlebar sw		.H. (99-	-1268)					***	1
32	97–2291	Handlebar eye	ebolt								2
33	82–1335	Washer	***			•••				• • •	2
34	21-0589	Bolt			***		***			• • • •	2
35	97–1527	Metalastic bus			***	- + -	***			• • •	2
36	97–1529	Hemispherica			• • •	***	***	***	***		4
37	97–1581	Distance piece				***	***		***	• • •	2
38	97–1580	Rubber washe	er	***	***	***				***	2
39	. 97–2221	Cup	-:-		***	***	***	***		* * *	2
40	14–1303	Nut				***			• • • •	• • •	2

^{*}Front brake and master cylinder details are shown on page 57

Tucas - model 1815A Paper Biggins




Fig. 30. CONTROL CABLES

CONTROL CABLES

1	60-7002	Throttle cable						11.4		1 T.140V
1	60-1806	Throttle cable								1 TR7RV
2	60-3925	Clutch cable								1
3	60-4194	Air control cable					141			1 TR7RV
4	60-4126	AIR CONTROL C	ABLE							1 T140V
5	60-4127	Cable, lever to	junctio							1
6	244/104	Junction box (9								1
7	60-4128	Cable, junction								7
8	60-7014	TV	VISTGR	IP	0001			***		1 T140V
9	18/084	Screw		,			*1.4			
1.0	, , , , ,	Body, top half	***						,	Reference only
11	,	BODY, BOTTO	 DM LIA	1.6			.1.			Reference only
12	16/008	Friction sp							,	Reference only
13	210/007	Screw	_		,	4.4.				Reference only
14	5/077	NI					***			Reference only
15	3/0//	Nut								Reference only
16	310 /000	Rotor							7.6.1	Reference only
17	210/008	Rotor stop scre								Reference only
18	5/077	Nut-rotor sto	p screv	٧						Reference only
19	97–2125	Grip						,		1
	60-0777	Cable clip	***							2
20	60-4258	Cable clip								15
21	97–4112	Handlebar clip								4
22	60-7001	Throttle cable	** *	* * *	** *		** *		***	1
23	60-0733	Throttle cable · · ·	* 6 *	***	***		***	** *		2
										_
	Δ	LTERNATIVE	FITT	MEN	TC	(NOT	U.S.A.	1		
	60-0732	Throttle cable		-1 E N	1 3	,,,,,,,	J.J. A.	,		
	60-0746	Throttle cable					***	***		1 T140V
	(0.44/0									1 TR7RV
	00-4108	Clutch cable								1




Fig. 31. TOOLKIT

Ref. No.	Part No.	DESCRIPTION	QUANTITY	REMARKS
- 40 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	TOTAL TANKS	DESCRIPTION.	A CALLIANT	TARREST TO BUILDING

TOOLKIT

	60~7019	TOOLKIT COMPLET	ГЕ					1
1	600291	Tool roll .				 	 	1
2	60-2184	Damper unit špa	nner			 	 	1
3	60-1911	Tommy bar			,	 	 	1
4	60-2084	Spanner - open o	ended			 	 	1
5	60-0971	Box spanner				 	 	1
6	60-1907	Ring spanner	15.1		111		 	1
7	60-0974	Tyre valve key				 	 	1
8	60-0767	Screw driver				 	 	1
9	60-1050	Plug spanner				 	 	1
10	60-3711	Tommy bar, rea	r whee	l spindl	e	 	 	1
Not illus.	60-2599	Licence holder				 	 	Available




Fig. 32. SPEEDOMETER AND TACHOMETER

76

SPEEDOMETER AND TACHOMETER

1 06-3	5738- <mark>SSM5007/0</mark> 0-	Speedometer head (60-2394)				 		1
1	SSM5007/01	Speedometer head—KPH (60	2395)			 		Alternative
2	60-7011	Trip control				 		1
.3	54959626	Bulb holder				 		Reference only
4	643	Bulb (3W.MES)				 		Reference only
5	60-7012	Speedometer cable				 		1
6 60-	0010 60=4513	Tachometer head				 		1
7	60~7013	Tachometer cable				 ,		1
8	97-4026	Mounting bracket				 		2
9	60-2600	Rubber cup				 		2
10 7/-4		TACHOMETER GEARBOX				 		1
11	70-9332	securing screw				 		1
12	70-5156	Bush				 		Reference only
13	70–5155	0				 		Reference only
14	70-5157					 		1
15	71-2480					 		1
16	60-3355	0				 		1
17	71–2653	Driven gear				 		1
18	71-2481	Welch washer				 	,	1
19	71–2482					 		1
20	70–7351	~				 		1
21	60-0494				'	 		1
22	31–371–398	Spade (99-0173)				 		1
Not illu		Washer Speedo and Ta	cho me	untin	,	 		4
Not illu	ıs. 21–0778	Nut S Speeds and 12	cho ili	, and in	-	 		4

add tack body 1-4 11-1130




Fig. 33. COIL, CAPACITOR PACK, FLASHER UNIT, ZENER DIODE AND HORN

ELECTRICAL COMPONENTS

1	83-7041	Mounting platform—electrical components 1
2	14-0102	Rolt
3	60-2329	
4	14–1201	Nice Place P
5	14–1301	3
6	60–2329	> Front attachment
7	45223	
8	82–9561	Ignition coil (17–M–12) (60–2203) 2
9		Coil grommet 2
10	49072	Rectifier (99–0589) 1
	82-5338	Nut 1
11	54441582	Condenser 2
12	21–2079	Screw 2
13	60-2391	Washer Condenser attachment 4
14	21-0778	Nut] 2
15	49345	Zener diode (99–0590) 1
16	N3	Sparking plug Reference only
17	60-0262	Plug cover (Champion WC 200) 2
18	35048	Flasher unit (99–1201) 1
19	54385091	Clip, flasher unit (99–1204) 1
20	60-3614	Spring 1
21	21-2079	Screw Flasher unit attachment 2
22	60-2391	Washer 3
23	21-0778	Nut 2
24	70228	Horn—6H (99–1245) 1
25	14-0103	Bolt
26	60-2347	Washer
27	60-3161	Grommet
28	14-1301	Nut 2
29	57183	Reflector Amber (99 1161)
30	60-2391	Wester
31	82-4717	
32	83-3522	Manager III and III an
33	83-3764	Poflosop baseline
34	21-2120	D-1
35	60-2391	4
36	21-0778	Washer Bracket to frame 4
30	21-0//0	Nut } 4

Fig. 34. HEADLAMP AND FLASHER LAMPS

HEADLAMP AND FLASHER LAMPS

2 553248 Rim (99-0692) 1 3 516801 Light unit (99-1156) 1 4 504665 Fixing wire (99-0683) 6 5 144921 Screw Reference only 6 534296 Place Reference only 7 370 Main bulb (45/357W) (99-1214) 1 8 554602 Bulbholder Reference only 10 54573590 Pilot bulb (99-0548) 1 11 54363454 Warning light (Red) (99-1208) 1 12 54363455 Warning light (Red) (99-1209) 1 13 54363455 Warning light (Green) (99-1209) 1 14 5440331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 5452512 Shield, warning light (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1224) 2 19 143086 Washer, headlamp fixing (99-1224) 2 2 10 31899 IGNITION SWITCH (99-0558) 1 21 5430041 Nut Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, ignition switch 1 26 54581638 Lens (99-1190) 4 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 29 573832 Interior assembly Reference only 30 382 Bulbholder Reference only 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 141301 Nut 1 37 6407004 Bucker 1 38 83-2508 Shoulder screw 1 39 82-6039 Rubber bush Battery carrier mounting 3 30 982-6039 Rubber bush Battery carrier mounting 3 31 141301 1 32 15 500700 Becal Light Switch 1 34 15 11 11 11 11 11 11 11 11 11 11 11 11		1	60512	HEADLAMP COMPLETE (99-1267) 1
3 516801		,		
4 504665 Fixing wire (99-0683) 6 5 144921 Screw Reference only 6 534296 Plate Reference only 7 370 Main bulb (45/35W) (99-1214) 1 8 554602 Bulbholder Reference only 9 989 Pilot bulb (99-0548) 1 10 54573590 Pilot bulb (99-0548) 1 11 54363454 Warning light (Red) (99-1208) 1 12 54363455 Warning light (Green) (99-1209) 1 13 54363455 Warning light (Green) (99-1207) 1 14 54140331 Scaling washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 54525212 Shield, warning light (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1224) 2 Not illus 54961593 Wiring harness (99-1259) 1 20 31899 IGNITION SWITCH (99-0558) 1 21 54130041 Nut Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, ignition switch 1 26 54581648 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 5412401 Screw (99-1190) 4 4 5420092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 62-9353 Retaining strap 1 35 82-9353 Retaining strap 1 36 83-2508 Shoulder screw 3 842019 1 37 92-7360 Protective strip 4 19-5/5 38 83-2508 Shoulder screw 3 90-7019 1 30 tillus 60-7004 Decal Warning Light Switch 1 30 Tillus 60-7004 Decal Warning Light Switch 1 30 Tillus 60-7004 Decal Warning Light Switch 1				
S		4		
6 534296 Plate Reference only 7 370 Main bulb (45/35W) (99-1214)		7		
7 370 Main bulb (45/35W) (99-1214) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				
8 554602 Bulbholder		-		7,000
9 989 Pilot bulb (99-0548) 1 10 54573590 Pilot bulbholder (99-1213) 1 11 54363454 Warning light (Red) (99-1209) 1 12 54363455 Warning light (Green) (99-1209) 1 13 54363453 Warning light (Green) (99-1207) 1 14 54140331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 5452512 Shield, warning light Red (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1223) 2 20 31899 IGNITION SWITCH (99-0558) 1 21 54130041 Nut. Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, ignition switch 1 25 556147 FLASHER LAMP (99-1190) 4 26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 38 83-2508 Shoulder screw 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 50-7004 Decal Light Switch 1				
10 54573590 Pilot bulbholder (99-1213) 1 11 54363454 Warning light (Red) (99-1208) 1 12 54363455 Warning light (Green) (99-1207) 1 13 54363453 Warning light (Amber) (99-1207) 1 14 54140331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 54525212 Shield, warning light (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1224) 2 19 143086 Washer, headlamp fixing (99-1224) 2 19 143086 Washer, headlamp fixing (99-1224) 2 20 31899 IGNITION SWITCH (99-0558) 1 20 31899 IGNITION SWITCH (99-0558) 1 21 54130041 Nut. Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, (gnition switch 1 25 56147 FLASHER LAMP (99-1190) 4 26 54581638 Lens (99-1191) 1 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 11 37 82-7380 Protective strip 38 Battery carrier 11 38 83-2508 Shoulder screw 39 82-6039 Rubber bush Battery carrier mounting 3 3 Not Illus, 60-7004 Decal Warning Lights 11 Not Illus, 60-7004 Battery—PUZSA (99-0719) 1				
11 54363454 Warning light (Red) (99–1208) 1 12 54363455 Warning light (Green) (99–1209) 1 13 54363453 Warning light (Green) (99–1207) 1 14 54140331 Sealing washer (99–1210) 3 15 34419 Light switch (99–1251) 1 16 5452512 Shield, warning light (P9–0537) 3 18 54115106 Screw, headlamp fixing (99–1223) 2 19 143086 Washer, headlamp fixing (99–1223) 2 19 143086 Washer, headlamp fixing (99–1224) 2 10 31899 IGNITION SWITCH (99–0558) 1 21 54130041 Nut Reference only 22 82–6981 IGNITION LOCK C/W KEY 1 23 60–0622 Key (state serial number) As required 24 97–2262 Cover, ignition switch 1 25 56147 FLASHER LAMP (99–1190) 4 26 54581638 Lens (99–1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99–1192) 1 31 54123401 Screw (99–1192) 1 32 60600092 Stanchion, flasher lamp (99–1246) 4 33 83–3325 Battery carrier 1 34 82–8091 Carrier tray 1 35 82–9353 Retaining strap 1 36 83–3849 Buckle 1 37 82–7380 Protective strip 38 Battery carrier 1 38 83–2508 Shoulder screw 39 Battery carrier 1 39 82–6039 Rubber bush Battery carrier 1 40 14–1301 Nut 1 50 150 150 150 150 150 150 150 150 150 1				
12 54363455 Warning light (Green) (99-1209) 1 13 54363453 Warning light (Amber) (99-1207) 1 14 54140331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 54525212 Shield, warning light (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1224) 2 19 143086 Washer, headlamp fixing (99-1224) 2 10 31899 IGNITION SWITCH (99-0558) 1 1 S4130041 Nut. Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, ignition switch 1 26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 23 6000092 Stanchion, flasher lamp (99-1246) 4 24 82-8091 Carrier tray 1 25 60000092 Stanchion, flasher lamp (99-1246) 4 27 33 83-3325 Battery carrier 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 38 83-2508 Shoulder screw 39 82-6039 Rubber bush 40 14-1301 Nut 154027029 Battery—PUZSA (99-0719) 1 Not Illus 60-7004 Decal Warning Lights 10 154027027 Becal Light Switch 1				
13 54363453 Warning light (Amber) (99-1207) 1 14 54140331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 54525212 Shield, warning light				
14 54140331 Sealing washer (99-1210) 3 15 34419 Light switch (99-1251) 1 16 54525212 Shield, warning light Reference only 17 281 Bulb, warning light (99-0537) 3 18 54115106 Screw, headlamp fixing (99-1223) 2 19 143086 Washer, headlamp fixing (99-1224) 2 Whot illus 54961593 Wiring harness (99-1259) 1 20 31899 IGNITION SWITCH (99-0558) 1 21 54130041 Nut. Reference only 22 82-6981 IGNITION LOCK C/W KEY 1 23 60-0622 Key (state serial number) As required 24 97-2262 Cover, ignition switch 1 25 56147 FLASHER LAMP (99-1190) 4 26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 38 83-3508 Shoulder screw 39 82-6039 Rubber bush 81 1 54027029 Battery—PUZSA (99-0719) 1 Not Illus 60-7004 Decal Warning Lights 1				
15 34419				
16 54525212 Shield, warning light				
17 281 Bulb. warning light (99–0537) 3 18 54115106 Screw, headlamp fixing (99–1223) 2 19 143086 Washer, headlamp fixing (99–1224) 2 Not illus .54961593 Wiring harness (99–1259) 1 20 31899 IGNITION SWITCH (99–0558) 1 21 54130041 Nut Reference only 22 82–6981 IGNITION LOCK C/W KEY 1 23 60–0622 Key (state serial number) As required 24 97–2262 Cover, ignition switch 1 25 56147 FLASHER LAMP (99–1190) 4 26 54581638 Lens (99–1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99–1192) 1 31 54123401 Screw (99–1193) 2 32 60600092 Stanchion, flasher lamp (99–1246) 4 33 83–3325 Battery carrier 1 34 82–8091 Carrier tray 1 35 82–9353 Retaining strap 1 36 83–3849 Buckle 1 37 82–7380 Protective strip 4 19–5/5 38 83–2508 Shoulder screw 8 39 82–6039 Rubber bush Battery carrier mounting 3 40 14–1301 Nut 1 41 54027029 Battery—PUZ5A (99–0719) 1 Not Illus .60–7004 Decal Warning Lights 1 Not Illus .60–7005 Decal Light Switch 1			34419	
18 54115106 Screw, headlamp fixing (99–1223) 2 19 143086 Washer, headlamp fixing (99–1224) 2 ★ Not illus. 54961593 Wiring harness (99–1259)		16	54525212	
19		17	281	Bulb, warning light (99–0537) 3
Not illus		18	54115106	
20 31899 IGNITION SWITCH (99-0558) 1 1		19	143086	Washer, headlamp fixing (99-1224) 2
20 31899 IGNITION SWITCH (99–0558) 1 21 54130041 Nut	*	Not illus.	54961593	Wiring harness (99-1259) 1
22 82–6981 IGNITION LOCK C/W KEY	. (/	20	31899	IGNITION SWITCH (99–0558) 1
22 82–6981 IGNITION LOCK C/W KEY 1 23 60–0622 Key (state serial number) As required 24 97–2262 Cover, ignition switch 1 25 56147 FLASHER LAMP (99–1190) 4 26 54581638 Lens (99–1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99–1192) 1 31 54123401 Screw (99–1193) 2 32 60600092 Stanchion, flasher lamp (99–1246) 4 33 83–3325 Battery carrier 1 34 82–8091 Carrier tray 1 34 82–8091 Carrier tray 1 35 82–9353 Retaining strap 1 36 83–3849 Buckle 1 37 82–7380 Protective strip 3 38 83–2508 Shoulder screw 39 82–603		21	54130041	Nut Reference only
23 60-0622 Key (state serial number)		22	82-6981	ICNITION LOCK CAN KEY
24 97-2262 Cover, ignition switch 1 25 56147 FLASHER LAMP (99-1190) 4 26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 3 38 83-2508 Shoulder screw 3 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 <		23	60-0622	
25 56147 FLASHER LAMP (99-1190) 4 26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 4 49-5/5 38 83-2508 Shoulder screw 3 3 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 Not Illus. 60-7004 Decal Warning Lights <td></td> <td>24</td> <td>97-2262</td> <td></td>		24	97-2262	
26 54581638 Lens (99-1191) 1 27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 4 /9 - 5/5 38 83-2508 Shoulder screw 3 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery Battery 1 Not Illus 60-7004 Decal Warning Lights 1 Not Illus 60-7005 Decal Light Switch 1		25	56147	ELACHER LAMP (00 1100)
27 54580300 Gasket Reference only 28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99–1192) 1 31 54123401 Screw (99–1193) 2 32 60600092 Stanchion, flasher lamp (99–1246) 4 33 83–3325 Battery carrier 1 34 82–8091 Carrier tray 1 35 82–9353 Retaining strap 1 36 83–3849 Buckle 1 37 82–7380 Protective strip 4 19–5/5 38 83–2508 Shoulder screw 3 39 82–6039 Rubber bush Battery carrier mounting 3 40 14–1301 Nut 1 41 54027029 Battery—PUZ5A (99–0719) 1 Not Illus. 60–7004 Decal Warning Lights 1 Not Illus. 60–7005 Decal Light Switch 1		26	54581638	
28 554548 Bulbholder Reference only 29 573832 Interior assembly Reference only 30 382 Bulb (99–1192) 1 31 54123401 Screw (99–1193) 2 32 60600092 Stanchion, flasher lamp (99–1246) 4 33 83–3325 Battery carrier 1 34 82–8091 Carrier tray 1 35 82–9353 Retaining strap 1 36 83–3849 Buckle 1 37 82–7380 Protective strip 4 49–5/5 38 83–2508 Shoulder screw 3 3 39 82–6039 Rubber bush Battery carrier mounting 3 40 14–1301 Nut 1 41 54027029 Battery—PUZ5A (99–0719) 1 Not Illus. 60–7004 Decal Warning Lights 1 Not Illus. 60–7005 Decal Light Switch 1		27	54580300	
29 573832 Interior assembly Reference only 30 382 Bulb (99-1192) 1 31 54123401 Screw (99-1193) 2 32 60600092 Stanchion, flasher lamp (99-1246) 4 33 83-3325 Battery carrier 1 34 82-8091 Carrier tray 1 35 82-9353 Retaining strap 1 36 83-3849 Buckle 1 37 82-7380 Protective strip 4 4 38 83-2508 Shoulder screw 3 3 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 Not Illus 60-7004 Decal Warning Lights 1 Not Illus 60-7005 Decal Light Switch 1		28	554548	,
30 382 Bulb (99-1192)		29		,
31				,
32 60600092 Stanchion, flasher lamp (99-1246)		31		5 (00, 4403)
33 83-3325 Battery carrier		32		
34 82-8091 Carrier tray				
35 82-9353 Retaining strap		34		Carrier tray
36 83-3849 Buckle		35		Rotaining stran
37 82-7380 Protective strip		36		
38 83-2508 Shoulder screw 39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 Not Illus. 60-7004 Decal Warning Lights 1 Not Illus. 60-7005 Decal Light Switch 1		37		Propositive engle
39 82-6039 Rubber bush Battery carrier mounting 3 40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 Not Illus. 60-7004 Decal Warning Lights 1 Not Illus. 60-7005 Decal Light Switch 1		38		77 = 37 2
40 14-1301 Nut 1 41 54027029 Battery—PUZ5A (99-0719) 1 Not Illus. 60-7004 Decal Warning Lights 1 Not Illus. 60-7005 Decal Light Switch 1				Public hugh
41 54027029 Battery—PUZ5A (99-0719)				Non
Not Illus. 60-7004 Decal Warning Lights				Pattern PLIZEA (99 0749)
Not Illus. 60-7005 Decal Light Switch 1				
Not III				
Decal Ign. Switch		Not III		4
			. 00-7000	Decal Ign. Switch

" " " " " MASLES 142086-98-1224

STANDARD HARDWARE SPECIFICATION BOLTS

		ВО	LTS		
			Length under	Min. length	
Part No.	Material	Thd. dia.	head	of thread	Hexagon A.F.
21–1822	Steel	卡" UNF	1 "	27"	0.500*
	Steel	₹° UNF	13 "	13"	0.565*
21-1910	**			7."	0.500"
21-1919		18" UNC	15"	7 "	0.375°
21-2010	11	₫" UNF	13"	3"	
14-0101		‡" UNF	1/2 "		0.438"
14-0102	H	↓" UNF	5 "		0.438"
14-0103	**	≟" UNF	3"		0.438"
14-0113	.,	る" UNF	5 "		0,500"
14-0114		5 " UNF	3"		0.500°
14-0115		18" UNF	7 "		0.500"
14-0128	**	#" UNF	1"		0.563"
14-0208	"	₫" UNF	2‡″	3 "	0.438"
	"	ቶ " UNF	1 d "	7 ^	0.500"
14-0216	**	5 * LINE		5 7 8	0.500"
14-0217	**	· UNF	14"		0.500"
14-0219	**	A UNF	1½*	7 "	0.500"
14-0220	P+	卡 UNF	12"	7 "	
14-0225	**	16" UNF	3"	7 " 7 "	0.500"
14-0228	**	未" UNF	4"	8	0.500"
14-0234		₽" UNF	1종"	1,,	0.563"
14-0236	++	₹" UNF	24"	1"	0.563"
14-0239		₹" UNF	3″	1 "	0.563"
14-0240		₽" UNF	3↓″ ,	1 "	0.563"
14-0242	**	₹" UNF	42	1*	0.563"
14-0251	"	₩" UNF	24"	14"	0.625"
	**	I" UNC	5 "	- 4	0.438"
14-6102	11		8 7 "		0,500"
14-6115	**	5 UNC			0,500
			UTS	Thistones	Damaska
Part No.	Material	Thd. dia.	Hexagon A.F.	Thickness	Remarks
21-0778	Steel	No. 10 UNF	0.375"	0.225"	Cleveloc
21-1852	1)	₹"UNF	0.437"	0.330*	Philidas
21-1906	**	₫" UNF	0.438"	0.188″	Plain
21-1908	.,	卡" UNF	0.438"	0.313"	Plain
21-1914		1" UNEF	1.125"	0.250"	Plain
21-2012	++	2" UNEF	1.313"	0.438"	Plain
21-2013		₹* UNEF	1.313"	0.313	Plain
21-2014		₫' UNEF	1.313"	0.438"	Plain
14-0301	**	L UNF	0.438"	0.224"	Plain
14-0302	**	۴. UNF	0.500"	0.271 "	Plain
		1 UNF	0.438"	0.161*	Lock
14-0401	**		0.500*	0.192*	Lock
14-0402	***	5 UNF		0.224"	Lock
14-0403	F1	₹" UNF	0.563"		
14-0701		₫" UNF	0.438"	0.203*	Philidas
14-0702	**	· UNF	0.500"	0.246"	Philidas
14-0703	***	₹" UNF	0.563 "	0.296"	Philidas
14-1201	++	∦" UNF	0.438"	0.285"	Stiffnut
14-1202	H	15" UNF	0.500*	0.335"	Stiffnut
14-1301		I UNF	0.438"	0.245"	Stiffnut
14-1302	14	۶." UNF	0.500*	0.290*	Stiffnut
	**	1 UNF	0.563"	0.320"	Stiffnut
14-1303		-	0.688*	0.375*	Stiffnut
14-1304	**	74" UNF		0.435*	Stiffnut
14-1305		I UNF	0.750"		
14-1902	**	유" UNF	0.500*	0.361"	Nyloc
14-1903	**	₹" UNF	0.563*	0.375"	Nyloc

SCREWS

Part No.	Type of head	Material	Thd. dia.	Length under head	Type of drive
21-1916	Cheese head	Steel	#" UNC	14"	Cross recess
21-1917	Cheese head		I' UNC	2 * "	Cross recess
21-1918	Cheese head	11	I' UNC	23*	Cross recess
21-1920	Hex. head		₹" UNC	21 # 64	C1032 166622
21-1929	Countersunk (82°)	11	I" UNC	17." 32."	Slot
21-2079	Cheese head		No. 10 UNF		Pozidrive
14-0604	Cheese head		#" UNF	1 " 2 " 2 " 6 "	Cross recess
.14-6505	Countersunk (82°)		f, NNC	2 7 "	Cross recess
14-6607	Cheese head	11 -	I" UNC	7 ″	Cross recess
14-6608	Cheese head	**	₹" UNC	1"	Cross recess
14-6609	Cheese head	**	i" UNC	14"	Cross recess
14-7019	Socket head	**	ቶ UNC	7.7 8	Hex. socket
-14-7024	Socket head		ት" UNC	2"	Hex. socket
Part No. 60-4245 60-4246	Material Steel Steel	WASHER i/dia. 0.273" 0.398"	o/dia. 0.563* 0.750°	Thickness 0.048" 0.063"	
60-4247	Steel	0.336"	0.625"	0.063"	
37-2027	Steel	0.531 "	1.031*	0.092*	
60-4248	Steel	0.266″	0.469*	0.064"	
		WASHER	S—SPRING		
Part No.	Material	i/dia.	o/dia.	o/a height	Thickness
60-4259	Spring Steel	₹" clearance	19 "	7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	0.104*
60-4250	D H	4" clearance	12"	37	0.064"
60-3541	11 11	17"	7.	7 "	0.040**
21-0648	**	5 clearance	<u>,</u>	5 / 3 2 /	0.080"

Double coil.